




## ZHIGOU TECHNOLOGY INTELLIGENT RETAIL TERMINAL PRODUCT INTRODUCTION

Integrated Research And Development, Manufacturing, Sales, And Supply Chain



#### XI' AN ZHIGOU INTELLIGENT TECHNOLOGY CO., LTD

Add:Room 1233, Block A, Eurasia International, Xi 'an, Shaanxi Web: www.zhigoukeji.com

Email: henanzhigou@163.com TEL: 400-668-0921



## CONTENTS

1

### **GLITTER SILVER PRODUCT**

ZG-ZL-N36(S8)	15-16
ZG-ZL-N60	17-18
ZG-ZL-N60(S8)	19-20
ZG-ZL-N120(S8)	21-22
ZG-ZL-N60(S15.6)	23-24
ZG-ZL-N120(S15.6)	25-26
ZG-ZL-N60(S21.5)	27-28
ZG-ZL-N120(S21.5)	29-30
ZG-ZL-N36-(S4)-AJ	31-32
7G-7L-N60-(S4)-4 L	33-3/

3

#### **OTHER PRODUCTS**

15.6 inch 30 cargo lanes +14 grids	4
15.6 inch 30 goods channel +14 +16	42
21.5-inch touch screen room temperature grain and oil cabinet	43
21.5-inch touchscreen labor protection machine	44
Commemorative coin vending machine	45
Automatic visa machine	46

# ABOUT US

#### **ENTERPRISE CULTURE**

Company profile	01
Qualification certification	02
Business partner	03
After-sales service	04
Application scenario	05
Customized service	06
Freight channel design	07-09
Payment System	10-11
Backend system	12

2

### **GRID CABINET**

15.6 INCH 60 CARGO CHANNEL +18 GRIDS	37-38
18 GRIDS/ 27GRIDS	39
40 GRIDS/ 60GRIDS	40

4

**CUSTOMER CASE** 

....



#### **COMPANY PROFILE**

ZHIGOU technology brand was founded in 2017, set vending machine R&D/production/sales in one of the enterprises, to provide intelligent automatic sales solutions for various fields, products are widely used in schools, high-speed rail, airports, stations, shopping malls, hospitals and enterprises and other places. The categories of self-service sales cover food, beverages, stationery, books, toys, clothing, medicines and family planning supplies, lunch boxes, fresh juice and other fields, and the realization of cash, scanning code, face brush, credit card and other payment methods and GPRS remote management control system.

Xi 'an ZHIGOU Intelligent Technology Co., Ltd. as a global leader in the vending machine industry, always adhere to technology and quality peer, dare to innovate. Smart purchase technology has always been focused on good quality, drafting T/HEBQIA194-2023 vending machine group standards, and obtained ISO9001 quality system certification, Europe and the united states CE certification, customer-centric, with excellent service system for brand extension, after-sales service outlets branch more than 600 cities at home and abroad, Strive to create a more attractive vending machine brand and a more valuable vending machine brand in the world.

### 80000m<sup>2</sup>

Factory floor space

2000+

Number of employees of Smart purchase

30+

Hardware development team 20+

Software development team





## CERTIFICATION OF QUALIFICATION











































### **COOPERATIVE PARTNER**











益海嘉里































400+ Enterprises in various industries

100+ Listed company 50+ Strategic partner Cumulative coverage user

## 1 YEAR MACHINE WARRANTY 15000+ service outlets nationwide

Pay attention to [wisdom purchase technology] public number

## 8 MAJOR SERVICE GUARANTEES









Free delivery

Local after-sales

Complete machine warranty

Many-to-one service









Home delivery

National quarantee

Free background upgrade

One year warranty

### **WORRY FREE AFTER SALE**



15 days no reason to return or exchange

15 days no reason to

return or exchange




Official genuine

IE

Regular invoice tegular machine printing invoice



















## APPLICATION SCENARIO

No installation, flexible device placement

Scientific management, remote positioning and accurate distribution 24 hours 400 customer service hotline, anytime to solve your problems 15,000 vending machines, remote data management, real-time monitoring of sales and fault information

First-line brand beverages, hot selling goods are constantly updated, and fresh and direct delivery by manufacturers to ensure food safety

## OEM/ODM CUSTOMIZATION SERVICE OEM/ODM







Both parties negotiated and confirmed the machine customization plan

Hardware and software engineers develop products according to the customer's functional requirements

Structural engineers and appearance engineers design structure and appearance









Client to confirm

Make molds and produce samples


The first batch of prototypes were delivered to customers for testing



According to the confirmed prototype for labeling, mass production for clients




## STANDARD SPIRAL DIMENSIONS AND CAPACITY REFERENCES





Spring locking position	Spring diameter (mm)	Available space spacing (mm)	Spring steel wire diameter (mm)	Spring Total length (mm)	Notes
3 cards	87	115	4	440	Large adult products
4 cards	87	92	4	440	Cup noodles
5 cards	67	72	4	440	Drinks
7 cards	67	52	4	440	adult erotica products
10 cards	67	32	4	440	smoke
20 cards	67	16	4	440	We need samples
25 cards	67	13	4	440	We need samples
Double 3 cards	87	103-113	4	440	We need samples
Double 4 cards	87	70-92	4	440	We need samples
Double 5 cards	67	68-72	4	440	We need samples
Double 7 cards	67	48-52	4	440	We need samples
Double 10 cards	67	28-32	4	440	We need samples
Double 20 cards	67	12-16	4	440	We need samples
Double 25 cards	67	13	4	440	Medical record book

## PRODUCT CONFIGURATION

The goods channel can be customized to sell a wider variety of products









Standard tray (mm):	10 goods pallets	9 goods pallets	8 goods pallets	5 goods pallets	4 goods pallets	3 goods pallets
Single goods channel width(mm):	76	84	95	152	191	255

#### SINGLE CARGO CHANNE DESIGN

A-type goods channel information



B-type goods channel information



C-type goods channel information



D-type goods channel information



E-type goods channel information




F-type goods channel information




### DESIGN OF COMBINED CONTAINER CHANNEL SALES

A-type goods channel information




B-type goods channel information




C-type goods channel information

D-type goods channel information



E-type goods channel information



*10	= 686868686	*14	2222
**	HILLIAN IN	**	ज ज न न
na 🛭	THEFT	**	8988
14	8181818181	84	2222
**	*********	212	2112
*** E		24 E	000000000

### **PAYMENT SYSTEM**

More convenient ways to pay More options can be choose for actual requirement







Credit Card **Payment** 

Cash/Coin **Payment** 

NFC/Apple Android **Payment** 









OR Code **Payment** 

Wechat Pay

Alipay

Face Recognition

#### WE SUPPORT AS BELOW


































### **PAYMENT SYSTEM**

NayaxCard readers can use multiple payment methods, including but not limited to Visa、Mastercard、American Express、JCB、Discover、UnionPay-Twint、Resto Flash、SafeCharge、Castles Technology、Apple Pay、Google Pay、Samsung Pay、Alipay、WeChat Pay、Paytm、M-Pesa、Sodexo、Global Payments、Telit、Interac、MobilePay、Swish、Vipps、SumUp、izly、Pyramid Technologies Inc.、Verizon、Elavon、First Data、BBVA Alipay,AT&T, etc. These payment methods cover various types such as credit/debit cards, mobile payments, electronic wallets, etc.




## BACKGROUND MANAGEMENT SYSTEM









## Spring machine series







#### 8 INCH -36 GOODS CHANNEL

#### **GOOD QUALITY INTELLIGENT PURCHASE**

Al smart face vending machine



Mobile remote control













arbitrary charges

temperature control





60cm/23.62inch

83cm/32.68inch

#### PRODUCT PARAMETERS: 36channels 60 kinds of goods 360capacity

Device model: ZG-ZL-N36-S8

Device size: 600x830x1990mm Pre-packed size: 650x880x2000mm

Rated voltage: 220V/50HZ Ambient temperature: cooling temperature

Room temperature power: 35W Cooling power: 460W

Heating power: 500W (optional) Defogging power: 40W (optional)

Inventory: 180~360 pieces

Refrigerant number: R290

Weight: 122kg

Pre-packed weight: 124kg



#### **60 GOODS CHANNEL**

#### **GOOD QUALITY INTELLIGENT PURCHASE**

Al smart face vending machine











arbitrary charges

93cm/36.61inch 75.5cm/29.72inch 197.5cm/77.76inch

#### PRODUCT PARAMETERS: 60 channels 60 kinds of goods 600 capacity

Device model: ZG-ZL-N60

Equipment size: 930x755x1975mm Pre-packed size: 980x800x1990mm

Rated voltage: 220V/50HZ Ambient temperature: normal temperature

Room temperature power: 25W

Inventory: 300~600 pieces

Refrigerant number: R290

Weight: 145kg

Pre-packed weight: 1148kg









#### 8 INCH -60 GOODS CHANNEL

#### **GOOD QUALITY INTELLIGENT PURCHASE**

Al smart face vending machine





temperature control

arbitrary charges



















#### PRODUCT PARAMETERS: 60 channels 60 kinds of goods 600 capacity

Device model: ZG-ZL-N60-S8

Device size: 930x830x1950mm Pre-packed size: 980x890x1950mm

Rated voltage: 220V/50HZ Ambient temperature: cooling temperature

Room temperature power: 35W Cooling power: 460W

Heating power: 500W (optional) Defogging power: 40W (optional)

Inventory: 300~600 pieces

Refrigerant number: R290

Weight: 168kg

Pre-packed weight: 171kg



#### 8 INCH -120 GOODS CHANNEL

#### **GOOD QUALITY INTELLIGENT PURCHASE**

Al smart face vending machine

















arbitrary charges

186cm/73.22inch 83cm/32.68inch

#### PRODUCT PARAMETERS: 120 channels 120 kinds of goods 1200 capacity

Device model: ZG-ZL-N60-S8+ZG-CW-N60

Equipment size: (main cabinet: 930x830x1950mm sub-cabinet: 930\*755\*1975mm)

Pre-packed size: (main cabinet:980x890x1950mm sub-cabinet:980\*800\*1990mm)

Rated voltage: 220V/50HZ

Ambient temperature: cooling temperature + room temperature

Room temperature power: 35W+25W Cooling power: 460W

Heating power: 500W (optional) Defogging power: 40W (optional)

Inventory: 600~1200 pieces

Refrigerant number: R290

Weight: 313kg Pre-packed weight: 319kg







#### 15.6 INCH -60 GOODS CHANNEL

## GOOD QUALITY INTELLIGENT PURCHASE

Al smart face vending machine







Instant receipt Customer funds arrive more assur



Ultra-large capacity



arbitrary charges



196.5cm/77.3

123.7cm/48.7inch

83cm/32.68inch

#### PRODUCT PARAMETERS: 60 channels 60 kinds of goods 600 capacity

Device model: ZG-ZL-N60-S15.6

Device size: 1237x830x1965mm Pre-packed size: 1280x880x1980mm

Rated voltage: 220V/50HZ Ambient temperature: cooling temperature

Room temperature power: 40W Cooling power: 460W

Heating power: 500W (optional) Defogging power: 40W (optional)

Inventory: 300~600 pieces

Refrigerant number: R290

Weight: 208kg

Pre-packed weight: 212kg



#### 15.6 INCH -120 GOODS CHANNEL

#### **GOOD QUALITY INTELLIGENT PURCHASE**

Al smart face vending machine



Ultra-large capacity












arbitrary charges









#### PRODUCT PARAMETERS: 120 channels 120 kinds of goods 1200 capacity

Device model: ZG-ZL-N60-S15.6+ZG-CW-N60

Equipment size: (main cabinet: 1237x830x1965mm Auxiliary cabinet: 930\*755\*1975mm)

Pre-packing size: (main cabinet:1280x880x1980mm sub-cabinet:980\*800\*1990mm)

Rated voltage: 220V/50HZ Ambient temperature: cooling temperature + room temperature

Cooling power: 460W Room temperature power: 40W+25W

Heating power: 500W (optional) Defogging power: 40W (optional)

Inventory: 600~1200 pieces

Refrigerant number: R290

Weight: 353kg

Pre-packed weight: 360kg







#### 21.5 INCH -60 GOODS CHANNEL

#### **GOOD QUALITY INTELLIGENT PURCHASE**

Al smart face vending machine



Ultra-large capacity













arbitrary charges



135.8cm/53.46inch 83cm/32.67inch

#### PRODUCT PARAMETERS: 60 channels 60 kinds of goods 600 capacity

Device model: ZG-ZL-N60-S21.5

Device size: 1358x830x1965mm Pre-packed size: 1410x860x1965mm Rated voltage: 220V/50HZ Ambient temperature: cooling temperature Cooling power: 500W Room temperature power: 40W Heating power: 500W (optional) Defogging power: 40W (optional) Inventory: 300~600 pieces Refrigerant number: R290

Weight: 218kg

Pre-packed weight: 222kg



#### 21.5 INCH -120 GOODS CHANNEL

#### **GOOD QUALITY INTELLIGENT PURCHASE**

Al smart face vending machine


















arbitrary charges





#### PRODUCT PARAMETERS: 120 channels 120 kinds of goods 1200 capacity

Device model: ZG-ZL-N60-S21.5+ZG-CW-N60

Equipment size: (main cabinet: 1358x830x1965mm Auxiliary cabinet: 930\*755\*1975mm)

Pre-packed size: (main cabinet:1410x860x1980mm sub-cabinet:980\*800\*1990mm)

Rated voltage: 220V/50HZ

Ambient temperature: cooling temperature + room temperature

Room temperature power: 40W+25W Cooling power: 500W

Heating power: 500W (optional) Defogging power: 40W (optional)

Inventory: 600~1200 pieces Refrigerant number: R290

Weight: 363kg

Pre-packed weight: 370kg









#### 5 INCH -36 GOODS CHANNEL

#### **GOOD QUALITY INTELLIGENT PURCHASE**

Al smart face vending machine



Mobile remote control












arbitrary charges

temperature control







#### PRODUCT PARAMETERS: 36channels 60 kinds of goods 360capacity

Device model: ZG-ZL-N36-S5

Device size: 600x830x1990mm Pre-packed size: 650x880x2000mm Rated voltage: 220V/50HZ Ambient temperature: cooling temperature Room temperature power: 35W Cooling power: 460W Heating power: 500W (optional) Defogging power: 40W (optional)

Inventory: 180~360 pieces

Refrigerant number: R290

Weight: 122kg

Pre-packed weight: 124kg



#### 5 INCH -60 GOODS CHANNEL

#### **GOOD QUALITY INTELLIGENT PURCHASE**

Al smart face vending machine







Instant receipt



Ultra-large capacity



arbitrary charges





83cm/32.68inch 93cm/36.61inch **7** 

#### PRODUCT PARAMETERS: 60 channels 60 kinds of goods 600 capacity

Device model: ZG-ZL-N60-S5

Device size: 930x830x1950mm Pre-packed size: 980x890x1950mm Rated voltage: 220V/50HZ Ambient temperature: cooling temperature Room temperature power: 35W Cooling power: 460W Heating power: 500W (optional) Defogging power: 40W (optional) Inventory: 300~600 pieces Refrigerant number: R290

Weight: 168kg

Pre-packed weight: 171kg





## Other Products







#### 15.6 INCH 60 GOODS CHANNEL +18 GRIDS

#### **GOOD QUALITY INTELLIGENT PURCHASE**

Al smart face vending machine












arbitrary charges







#### PRODUCT PARAMETERS: 15.6 inch vending machine +18 lattice cabinet

Device model: ZG-ZL-N60-S15.6+ZG-GZ-N18

Equipment size: (main cabinet: 1237x830x1965mm sub-cabinet: 1125\*330\*1955mm)

Pre-packing size: (main cabinet:1280x880x1980mm sub-cabinet:1170\*380\*1970mm)

Rated voltage: 220V/50HZ Ambient temperature: cooling temperature + room temperature Room temperature power: 40W+60W Cooling power: 460W Heating power: 500W (optional) Defogging power: 40W (optional) refrigerant No.: R290 Inventory: 618 parts

Weight: 297kg Pre-packed weight: 304kg



## 智购科技 PICC Smart Purchase Technology 中国人民保险承保

## Product parameters: 18 lattice cabinet

Device model: ZG-GZ-N18

Equipment size: 1125x330x1955mm

Pre-packed size:1170x380x1970mm

Rated voltage: 220V/50HZ

Ambient temperature: normal temperature

Room temperature power: 60W

Inventory: 18 grids

Weight: 89kg

Pre-packed weight: 92kg



## Product parameters: 27 lattice cabinet

Device model: ZG-GZ-N27

Equipment size: 1125x330x1955mm

Pre-packed size :1170x380x1970mm

Rated voltage: 220V/50HZ


Ambient temperature: normal temperature


Room temperature power: 80W

Inventory: 27 grids

Weight: 99kg

Pre-packed weight: 102kg





## Product parameters: 40 lattice cabinet

Device model: ZG-GZ-N40 (PC door)

Equipment size: 900x330x1955mm Pre-packed size: 950x380x1970mm

Rated voltage: 220V/50HZ

Ambient temperature: normal temperature

Room temperature power: 90W Inventory: 40 grids
Weight: 87kg Pre-packed weight: 90kg

Device model: ZG-GZ-N40 (Metal door)

Device size: 1125x330x1955mm Pre-packed size:1170x380x1970mm

Rated voltage: 220V/50HZ

Ambient temperature: normal temperature

Room temperature power: 90W Inventory: 40 grids

Weight: 110kg

Pre-packed weight: 113kg

## Product parameters: 60 lattice cabinet

Device model: ZG-GZ-N60

Device size: 900x330x1955mm

Pre-packed size:950x380x1970mm

Rated voltage: 220V/50HZ

Ambient temperature: normal temperature

Room temperature power: 100W

Inventory: 60 grids

Weight: 96kg

Pre-packed weight: 99kg





#### A vending machine for adult products

15.6 INCHES 30 CARGO LANES +14 GRIDS



#### ► PRODUCT PARAMETERS:

Product model: ZG-CW-N44-S15.6

Product capacity:44 kinds/capacity of about 300 pieces

Box structure: main cabinet spring machine + auxiliary cabinet lattice machine

Standard cargo channel :30 cargo channel +14 lattice cabinet

Applicable products: adult products/family planning products, etc

#### A vending machine for adult products

15.6 INCHES 30 CARGO LANES +14 GRIDS+16 GRIDS



#### ► PRODUCT PARAMETERS:

Product model: ZG-CW-N44-S15.6+SM-GZ-N16

Product size: Main cabinet: 1800\*875\*595mm Secondary cabinet: 1800\*875\*331mm (14/16 lattice cabinet)

Equipment weight :197kg

Equipment power :120W Product capacity :60 kinds/capacity of about 300 pieces

Box structure: main cabinet spring machine + auxiliary cabinet lattice machine

Standard cargo channel :30 cargo channel +14+16 grids

Applicable products: adult products/family planning products, etc





## 21.5-INCH TOUCH SCREEN NORMAL TEMPERATURE GRAIN AND OIL CABINET



#### Hd touch screen

32 "HD touch screen, Facial payment machines are more beautiful, More convenient consumption



#### Ultra-large capacity

Flexible cargo channel, space utilization High capacity, reduce the number of replenishment



### Products and application scenarios

Flexible selection of goods, community, Factories, hospitals, streets, etc



#### Intelligent control

Mobile remote control Data statistics, fault diagnosis, etc



#### The return cycle is short

High cost performance High acceptance of the crowd, strong profitability



#### 4G Internet of Things

4G iot, quick response Order response, 5 seconds to ship



#### Product name: Grain and oil tank host + auxiliary machine

Equipment Model: ZG-GZ-N3+ZG-GZ-N12(2 PCS)

Dimensions: Host :460x465x2065mm

Pre-packed dimensions: Host :510x510x2080mm

Sub-cabinet :970x510x2080mm

Rated voltage: 220V/50HZ

Ambient temperature: normal temperature

Room temperature power: 40W +60W

Inventory: N3+N12+N12

Weight: 280kg

Pre-packed weight: 286kg

## 21.5 INCH TOUCH SCREEN LABOR PROTECTION MACHINE



#### Hd touch screen

32 "HD touch screen, Facial payment machines are more beautiful, More convenient consumption



#### Ultra-large capacity

Flexible cargo channel, space utilization High capacity, reduce the number of replenishment



φbφ

Intelligent control

Mobile remote control

Data statistics,



### Products and application scenarios

Flexible selection of goods, community, Factories, hospitals, streets. etc



#### 4G Internet of Things

4G iot, quick response Order response, 5 seconds to ship



#### Product name: 21.5-inch touch screen labor protection machine



### **COMMEMORATIVE COIN VENDING MACHINE**



#### Small and flexible

Small size, large capacity Flexible delivery, matching a variety of places



#### Ultra-large capacity

Flexible cargo channel, space utilization High capacity, reduce the number of replenishment



#### High playability

Simple operation, strong sense of ritual Immersive experience



#### The return cycle is short

High cost performance High acceptance of the crowd, strong profitability



### Internet celebrity project

The audience is wide, suitable for all ages Never go out of date



#### Product name: Commemorative coin self-service vending machine

Device model: ZG-YB-N4

Equipment size: 600x895x1980mm Pre-packed size:650x940x2000mm Rated voltage: 220V/50HZ Ambient temperature: normal temperature Room temperature power: 90W Deposit: 65 pieces Weight: 93kg Pre-packed weight: 96kg

### **AUTOMATIC SIGNING** MACHINE



#### Small and flexible

Small size, large capacity Flexible delivery, matching a variety of places



#### Ultra-large capacity

Flexible cargo channel, space utilization High capacity, reduce the number of replenishment



Simple operation, strong sense of ritual Immersive experience



#### The return cycle is short

High cost performance High acceptance of the crowd, strong profitability



### Internet celebrity project

The audience is wide, suitable for all ages Never go out of date



#### Product name: Scanning code self-service visa machine

Device model: ZG-CO-N255

Equipment size: 600*895*1980mm	Pre-packed size :650*940*2000mm
Rated voltage: 220V/50HZ	Ambient temperature: normal temperature
Room temperature power: 90W	loading capacity: 800 signatures
Weight: 93kg	Pre-packed weight: 96kg

46 经智购科技—



## CUSTOMER CASE DISPLAY

























## CUSTOMER CASE DISPLAY

























